Amethyst Dream Pearl **MATERIAL SAFETY DATA SHEET**

#XL600009

, 1E	SECTION I - PRODUCT N Recommende Recommende MANUFACTUR
	PRODUCT INF
	SECTION II - Physical haza Health hazard
	Environmenta
	OSHA defined Label elemen
7	Signal word Hazard stater
E	Precautionary Prev
P	Res
	Stor
	Disp
	Hazard(s) no classified (H
	Supplement
	SECTION III Compositior
	Mixtures
	Chemical nar
	Aluminum Oxi
	Titanium Diox
	Naphtha, Petr
	Silica Tin Oxide Reg
	Zirconium Oxi
	*Designates the
	-

SECTION I - IDENTIFICATION					
PRODUCT NAME: AMETHYST DREAM PEARL					
Recommended us	e	Additive			
Recommended re	strictions	None Known			
MANUFACTURER:	Excel Autobody Products				
	2921 Syene Road, Madison	, WI 53713			
PRODUCT INFORM	ATION: (800) 957-0848				
EMERGENCY TELE	PHONE: 1-800-424-9300				

- HAZARDOUS IDENTIFICATION

zards rds

tal hazards

Not classified.	
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Hazardous to the aquatic environment, acute	Category 3
hazard	
Hazardous to the aquatic environment,	Category 3
long-term hazard	
Not classified.	

May cause genetic defects. May cause cancer. Harmful to aquatic life.

have been read and understood. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use. Do not handle until all safety precautions

Harmful to aquatic life with long lasting effects.

If exposed or concerned: Get medical advice/attention.

ed hazards ents



Danger

Store locked up.

None known.

international regulations.

ement

ary statement evention

sponse

orage

sposal

not otherwise (HNOC)

ntal information

89.47% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 89.47% of the mixture consists of component(s) of unknown long-term hazards to he aquatic environment.

Dispose of contents/container in accordance with local/regional/national/

on/information on ingredients

INIXLUICS			
Chemical name	Common name and synonyms	CAS number	%
Aluminum Oxide Regulatory		1344-28-1	30 - < 50
Titanium Dioxide		13463-67-7	30 - < 50
Naphtha, Petroleum, Heavy Alkylate		64741-65-7	5 - < 25
Silica		7631-86-9	0 - < 5
Tin Oxide Regulatory		18282-10-5	0 - < 5
Zirconium Oxide		1314-23-4	0 - < 5

that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Amethyst Dream Pearl MATERIAL SAFETY DATA SHEET

#XL600009

PART NUMBER - #600009 PRODUCT NAME: AMETHYST DREAM PEARL

SECTION IV - FIRST AID MEASURES

and special

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.

Most important
symptoms/effects,
acute and delayedDusts may irritate the respiratory tract, skin and eyes.Indication of immediate
medical attentionProvide general supportive measures and treat symptomatically.
Keep victim under observation. Symptoms may be delayed.

sheet to the doctor in attendance.

 treatment needed

 General information

 IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the

material(s) involved, and take precautions to protect themselves. Show this safety data

SECTION V - FIREFIGHTING MEASURES

Suitable extinguishing media	Powder. Alcohol resistant foam. Water spray. Carbon Dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Use water spray to cool unopened containers.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/ leak. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Amethyst Dream Pearl MATERIAL SAFETY DATA SHEET

#XL600009

PART NUMBER - #600009 PRODUCT NAME: AMETHYST DREAM PEARL

Methods and materials for
containment and cleaning upStop the flow of material, if this is without risk. Collect dust using a vacuum
cleaner equipped with HEPA filter.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

SECTION VII - HANDLING AND STORAGE

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage,Stoincluding any incompatibilitiesSto

Precautions for safe handling

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

US. USHA TABLE 2-1 LINNES TOT AIL CONTAININGING (25 GFR 1510.1000)			
Туре	Value	Form	
PEL	5 mg/m3	Respirable fraction.	
	15 mg/m3	Total dust.	
PEL	400 mg/m3		
	100 ppm		
PEL	15 mg/m3	Total dust.	
PEL	5 mg/m3		
	Type PEL PEL PEL	Type Value PEL 5 mg/m3 PEL 400 mg/m3 PEL 15 mg/m3 PEL 100 ppm PEL 15 mg/m3	

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	
Silica (CAS 7631-86-9)	TWA	0.8 mg/m3	
		20 mppcf	
US. ACGIH Threshold Limit Valu	es		
Components	Туре	Value	Form
Aluminum Oxide Regulatory	TWA	1 mg/m3	Respirable fraction.
(CAS 1344-28-1)			
Tin Oxide Regulatory (CAS	TWA	2 mg/m3	
18282-10-5)			
Titanium Dioxide (CAS	TWA	10 mg/m3	
13463-67-7)			
Zirconium Oxide (CAS	STEL	10 mg/m3	
1314-23-4)			
	TWA	5 mg/m3	

Amethyst Dream Pearl MATERIAL SAFETY DATA SHEET

#XL600009

PART NUMBER - #600009 PRODUCT NAME: AMETHYST DREAM PEARL

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Naphtha, Petroleum, Heavy Alkylate (CAS 64741-65-7)		400 mg/m3
		100 ppm
Silica (CAS 7631-86-9)	TWA	6 mg/m3
Tin Oxide Regulatory (CAS 18282-10-5)	TWA	2 mg/m3
Zirconium Oxide (CAS 1314-23-4)	STEL	10 mg/m3
	TWA	5 mg/m3
Biological limit values	No biological exposu	re limits noted for the ingredient(s).
controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airbor levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupation Exposure Limit (OEL), suitable respiratory protection must be worn. If material is groud cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.	
Individual protection meas	, .	
Eye/face protection	Chemical respirator w	vith organic vapor cartridge, full facepiece, dust and mist filter.
Skin protection		
Hand protection	Wear appropriate che the glove supplier.	emical resistant gloves. Suitable gloves can be recommended by
Other	Use of an impervious	apron is recommended.
Respiratory protection	at levels exceeding th	approved respirator if there is a risk of exposure to dust/fume le exposure limits. Chemical respirator with organic acepiece, dust and mist filter.
Thermal hazards	Wear appropriate the	rmal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and

protective equipment to remove contaminants.

PART NUMBER - #600009 PRODUCT NAME: AMETHYST DREAM PEARL

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

AppearancePhysical stateSolid.FormPowdaColorPearleOdorSolverOdor thresholdNot avpHNot avMelting point/freezing point3349.Initial boiling point and boiling95 ° FrangeF

Flash point Evaporation rate Flammability (solid, gas) Powder. Pearlescent Solvent. Not available. Not available. 3349.4 °F (1843 °C) estimated 95 °F (35 °C) estimated

-0.00004 °F (-17.8 °C) estimated Not available. Not available.

Excel Autobody Products

www.excelproducts.net

Amethyst Dream Pearl MATERIAL SAFETY DATA SHEET

#XL600009

PART NUMBER - #600009 PRODUCT NAME: AMETHYST DREAM PEARL

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES Upper/lower flammability or explosive limits

Flammability limit - lower (%) Flammability limit - upper (%) **Explosive limit - lower (%)** Explosive limit - upper (%) Vapor pressure Vapor density **Relative density** Solubility(ies) Solubility (water) **Partition coefficient** (n-octanol/water) Auto-ignition temperature **Decomposition temperature** Viscosity **Other information** Density **Flammability class Percent volatile**

Not available. Not available. Not available. 2024.48 hPa estimated Not available. Not available.

Not available. Not available.

550 °F (287.78 °C) estimated Not available. Not available.

3.80 g/cm3 estimated Flammable IA estimated 10 v/v % By Volume 10 w/w % By Weight

Specific gravity

3.8 estimated

SECTION X - STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Acids. Strong oxidizing agents. Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION XI - TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Dust may irritate the eyes.
Ingestion	Expected to be a low ingestion hazard.
0	

Symptoms related to th physical, chemical and toxicological characteristics

Symptoms related to the Dusts may irritate the respiratory tract, skin and eyes.

www.excelproducts.net

Amethyst Dream Pearl MATERIAL SAFETY DATA SHEET

#XL600009

PART NUMBER - #600009

PRODUCT NAME: AN		EAM PEARL		
SECTION XI - TOXICO	DLOGICAL IN	FORMATION		
Information on toxicol	ogical effects			
Acute toxicity		Test Des He		
Components Naphtha, Petroleum, H	Species	Test Results		
Acute	eavy Aikylate (CAS 04741-03-7)		
Inhalation				
LC50	Rat	61 mg/l, 4 Ho	urs	
Oral		-		
LD50	Rat	> 25 ml/kg		
Silica (CAS 7631-86-9)				
Acute				
Oral	Mariaa	× 45000 m </td <td></td>		
LD50	Mouse	> 15000 mg/	-	
*Fetimates for product	Rat	> 22500 mg/ I on additional component data not shown.	кЯ	
Skin corrosion/irritati		Prolonged skin contact may cause tempora	arvirritation	
Serious eye damage/e		Direct contact with eyes may cause tempor	-	
irritation	.ye	Direct contact with eyes may cause tempor	ary initiation.	
Respiratory or skin se	nsitization			
Respiratory s	ensitization	Not a respiratory sensitizer.		
Skin sensitiza		This product is not expected to cause skin sensitization.		
Germ cell mutagenicit	У	May cause genetic defects.		
Carcinogenicity		May cause cancer.		
	31-86-9) ide (CAS 1346	on of Carcinogenicity 3 Not classifiable as to carcinoge 63-67-7) 2B Possibly carcinogenic to huma ances (29 CFR 1910.1001-1050)		
Not listed.				
Reproductive toxicity		This product is not expected to cause repro	ductive or developmental effe	
Specific target organ t single exposure	toxicity -	Not classified.		
Specific target organ t repeated exposure	toxicity -	Not classified.		
Aspiration hazard		Not an aspiration hazard.		
Chronic effects		Prolonged inhalation may be harmful. Prolocause chronic effects.	onged exposure may	
SECTION XII - ECOLO	DGICAL INFO			
-		Harmful to aquatic life with long lasting effe		
Components		Species	Test Results	
Naphtha, Petroleum, H	eavy Alkylate (CAS 64741-65-7)		
Aquatic		Water flee (Dephyle suler)		
Crustacea Fish	EC50 LC50	Water flea (Daphnia pulex) Rainbow trout,donaldson trout	2.7 - 5.1 mg/l, 48 hours	
FISH	1000	(Oncorhynchus mykiss)	8.8 mg/l, 96 hours	
			8 8 mg/l 96 hours	

Titanium Dioxide (CAS 13463-67-7)

A	quatic			
С	rustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours
Fi	ish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

8.8 mg/l, 96 hours

effects.

Amethyst Dream Pearl MATERIAL SAFETY DATA SHEET

#XL600009

PART NUMBER - #600009 PRODUCT NAME: AMETHYST DREAM PEARL

SECTION XII - ECOLOGICAL INFORMATION

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical
	ozone creation potential, endocrine disruption, global warming potential)
	are expected from this component.

SECTION XIII - DISPOSAL CONSIDERATIONS

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/ national/international regulations.
Dispose in accordance with all applicable regulations.
The waste code should be assigned in discussion between the user,
the producer and the waste disposal company.
Dispose of in accordance with local regulations. Empty containers or liners may
retain some product residues. This material and its container must be disposed
of in a safe manner (see: Disposal instructions).
Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION XIV - TRANSPORT INFORMATION

The following transportation information is provided based on the manufacturer's interpretation of shipping regulations. Each shipper is responsible for identifying, naming, marking, and labeling prior to offering for transport. DOT

DOT			
	UN number	UN1263	
	UN proper shipping name	Paint related material including paint thinning, drying, remo	ving, or
		reducing compound	
	Transport hazard class(es)		
	Class	3	
	Subsidiary risk	-	
	Label(s)	3	
	Packing group	II	
	Special precautions for user	Read safety instructions, SDS and emergency procedures	
		before handling.	
	Packaging provisions	149, B52, IB2, T4, TP1, TP8, TP28	
	Packaging exceptions	150	
	Packaging non bulk	173	
	Packaging bulk	242	
IATA			
	UN number	UN1263	
	UN proper shipping name	Paint related material (including paint thinning or reducing o	compounds)
	Transport hazard class(es)		
	Class	3	
	Subsidiary risk	-	
	Packing group	ll	
	Environmental hazards	No.	
	ERG Code	3L	
	Special precautions for user	Read safety instructions, SDS and emergency	
		procedures before handling.	
	Other information		
	Passenger and cargo	Allowed.	
	aircraft		
	Cargo aircraft only	Allowed.	Dogo 7
			Page 7

Excel Autobody Products

www.excelproducts.net Amethyst Dream Pearl MATERIAL SAFETY DATA SHEET

#XL600009

PART NUMBER - #600009 PRODUCT NAME: AMETHYST DREAM PEARL

SECTION XIV - TRANSPORT INFORMATION IMDG

UN number UN proper shipping name

Transport hazard class(es) Class Subsidiary risk Packing group

Environmental hazards Marine pollutant

EmS

IATA: IMDG

Special precautions for user Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code DOT



UN1263

PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning or reducing compound)

3

Ш

No. F-E, S-E

Read safety instructions, SDS and emergency procedures before handling. Not applicable.

SECTION XV - REGULATORY INFORMATION

US federal regulations

ns This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

Not listed.

No

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Hazard categories

SARA 311/312 Hazardous chemical

PART NUMBER - #600009

www.excelproducts.net

Amethyst Dream Pearl MATERIAL SAFETY DATA SHEET

#XL600009

% by wt.

30 - < 50

PRODUCT NAME: AMETHYST DREAM PEARL SECTION XV - REGULATORY INFORMATION SARA 313 (TRI reporting) **Chemical name CAS** number Aluminum Oxide Regulatory 1344-28-1 Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) **US state regulations US. California Controlled Substances. CA Department of Justice** (California Health and Safety Code Section 11100) Not listed. US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)) Naphtha, Petroleum, Heavy Alkylate (CAS 64741-65-7) Titanium Dioxide (CAS 13463-67-7) **US. Massachusetts RTK - Substance List** Aluminum Oxide Regulatory (CAS 1344-28-1) Naphtha, Petroleum, Heavy Alkylate (CAS 64741-65-7) Silica (CAS 7631-86-9) Tin Oxide Regulatory (CAS 18282-10-5) Titanium Dioxide (CAS 13463-67-7) Zirconium Oxide (CAS 1314-23-4) US. New Jersey Worker and Community Right-to-Know Act Aluminum Oxide Regulatory (CAS 1344-28-1) Naphtha, Petroleum, Heavy Alkylate (CAS 64741-65-7) Silica (CAS 7631-86-9) Tin Oxide Regulatory (CAS 18282-10-5) Titanium Dioxide (CAS 13463-67-7) US. Pennsylvania Worker and Community Right-to-Know Law Aluminum Oxide Regulatory (CAS 1344-28-1) Naphtha, Petroleum, Heavy Alkylate (CAS 64741-65-7) Silica (CAS 7631-86-9) Titanium Dioxide (CAS 13463-67-7) **US. Rhode Island RTK** Aluminum Oxide Regulatory (CAS 1344-28-1) **US. California Proposition 65** WARNING: This product contains a chemical known to the State of California to cause cancer. US - California Proposition 65 - CRT: Listed date/Carcinogenic substance Titanium Dioxide (CAS 13463-67-7) Listed: September 2, 2011

Amethyst Dream Pearl MATERIAL SAFETY DATA SHEET

#XL600009

PART NUMBER - #600009 PRODUCT NAME: AMETHYST DREAM PEARL

SECTION XV - REGULATORY INFORMATION

International Inventories Co

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IEC	SC) Yes
Europe	European Inventory of Existing Commercial Chemical	Yes
	Substances (EINECS)	
Europe	European List of Notified Chemical Substances (ELINCS)) No
Japan	Inventory of Existing and New Chemical Substances (EN	CS) No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substar (PICCS)	nces Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION XVI - OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

09-18-2015 Issue date Version # 01 Disclaimer

Our Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Excel Products US, Inc., 2921 Syene Rd, Madison, WI 53713 Tel: (800) 957-0848; Fax: (608) 274-5313 Email: info@excelproducts.net Website: www.excelproducts.net